

## COMP 5660/6660 Fall 2021 Exam 2 - Canvas Quiz

This is a closed-book, closed-notes exam. The sum of the max points for all the questions is 70, but note that the max exam score will be capped at 66 (i.e., there are 4 bonus points, but you can't score more than 100%). You have exactly 50 minutes to complete this exam. Keep your answers clear and concise while complete. Good luck!

1. Fitness sharing differs from crowding in that fitness sharing: [4]

- (a) results in panmictic mating
- (b) results in niches sized proportional to fitness
- (c) implicitly requires fitness proportionate selection
- (d) implicitly requires fitness ranked selection

Select one of:

- a
- b
- c
- d
- a and b
- a and c
- a and d
- b and c
- b and d
- c and d
- none of a, b, c, nor d

2. Panmictic mate selection in EAs has the following properties: [4]

- (a) strategy parameters are fixed during an EA run
- (b) no genotypic restrictions on mating
- (c) more fit individuals mate more often
- (d) process of tuning mate selection parameters for each problem is time-consuming

Select one of:

- a
- b
- c
- d
- a and b
- a and c
- a and d
- b and c
- b and d
- c and d
- a, b, and c
- a, b, and d

- a, c, and d
- b, c, and d
- all of a, b, c, and d
- none of a, b, c, nor d

3. Meta Evolutionary Programming (Meta-EP) is characterized by: [4]

- (a) borrowing the self-adaptation of mutation step sizes from Evolutionary Strategies
- (b) self-adapting covariance matrices
- (c) combining Gaussian & Cauchy distributions to generate random mutations
- (d) evolving the parameters of an EP which in turns is solving a problem

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

4. The phenomenon of bloat in GP occurs most likely because: [4]

- (a) individuals with bigger genomes have a larger chance of survival (also known as “survival of the fittest”)
- (b) the variable length aspect of GP causes a natural tendency for the population to reflect the different possible sizes
- (c) the ratio of alleles to genes in bloated individuals is higher than non-bloated individuals which gives them an evolutionary advantage

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

5. The ramped half-and-half method is the most common technique in GP for: [4]

- (a) initialization
- (b) parent selection
- (c) survival selection
- (d) termination

Select one of:

- a
- b
- c
- d
- none of a, b, c, nor d

6. Over-selection is employed in GP because: [4]

- (a) GP typically uses large trees which suffer from bloat
- (b) GP typically uses fitness proportionate selection which suffers from premature convergence
- (c) GP typically uses large populations which cause excessively high selective pressure

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

7. On a computer system with 400 computing cores and given a population size of 200 and an offspring size of 300, employing an Asynchronous Parallel EA (APEA) for evolving GP controllers for Pac-Man: [4]

- (a) may be expected to reduce run-time versus a Synchronous Parallel EA (SPEA) because a SPEA cannot utilize more cores than the offspring size while an APEA can
- (b) may be expected to increase run-time versus a SPEA because an APEA cannot utilize more cores than the population size while a SPEA can
- (c) may be expected to reduce run-time versus a SPEA because a SPEA has to wait for the longest evaluation to complete while an APEA can exploit the heterogeneous evaluation times common to GP

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

8. Hyper-heuristics are particularly well suited for: [4]

- (a) Sequential EAs
- (b) Synchronous Parallel EAs
- (c) Asynchronous Parallel EAs

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

9. In an EA employing Lamarckian evolution: [4]

- (a) improved EA performance is obtained through the Baldwin effect
- (b) improved EA performance is obtained through local search
- (c) acquired traits are passed on genetically

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

10. Dawkin's concept of a "meme" is: [4]

- (a) the addition of a learning phase to the evolutionary cycle
- (b) a unit of biological transmission
- (c) a unit of cultural transmission
- (d) a process of imitation

Select one of:

- a
- b
- c
- d
- none of a, b, c, nor d

11. Learning Classifier Systems are technically speaking: [4]

- (a) a type of Condition-Action Rule-Based System
- (b) a type of Reinforcement Learning System
- (c) a type of Evolutionary Algorithm

Select one of:

- a
- b
- c
- a and b
- a and c
- b and c
- a, b, and c
- none of a, b, nor c

12. Pittsburgh-style LCS: [4]

- (a) predates but is similar to GP in that each individual represents a complete model mapping input to output spaces
- (b) each gene typically represents a rule
- (c) tends to outperform Michigan-style LCS given sufficient computing resources and effective parsimony methods
- (d) suffers from bloat similar to GP

Select one of:

- a
- b
- c
- d
- a and b
- a and c
- a and d
- b and c
- b and d
- c and d
- a, b, and c
- a, b, and d
- a, c, and d
- b, c, and d
- a, b, c, and d
- none of a, b, c, nor d

13. The  $n$ -bit multiplexer function consist of  $k$  address bits  $a_i$  followed by  $2^k$  data bits  $d_j$  where  $n = k + 2^k$  and the function is defined as  $a_{k-1}, \dots, a_1, a_0, d_{2^k-1}, \dots, d_1, d_0$ . Assume a Michigan-style Learning Classifier System (LCS) to solve a 6-bit multiplexer problem with the following rule set:

Rule 1: 1#1#### : 0 → 35

Rule 2: 11####0 : 0 → 15

Rule 3: 1#1100 : 1 → 20

Rule 4: #11##0 : 1 → 40

Rule 5: #00100 : 0 → 50

Rule 6: #1##0# : 1 → 10

If the input string 111100 is presented to this LCS:

(a) which rules will the match set consist of? [2]

(b) which rules will the action set consist of and what action will the LCS execute? Show how you computed this. [6]

14. Say you need to purchase a GPU on a budget for executing machine learning experiments, so want to maximize both VRAM and affordability. You execute a multi-objective EA and the final population contains the solutions listed in the following table, where higher VRAM and higher affordability are desired (i.e., maximize both objectives):

ID	VRAM	Affordability
1	8	3
2	4	4
3	2	5
4	1	6
5	8	4
6	4	3
7	2	2
8	1	9
9	8	1
10	4	7

(a) List for each element which elements it dominates; indicate elements with their IDs. [4]

- (b) Show the population distributed over non-dominated levels like some multi-objective EAs employ, after each addition of an element, starting with element 1 and ending with element 10 increasing the element number one at a time; indicate elements with their IDs. So you need to show ten different population distributions, the first one consisting of a single element, and the last one consisting of ten elements. [10]